


Exterior



THE SHERWIN-WILLIAMS COMPANY


WARRANTY STATEMENT

The statements made herein are based on our research and/or the research of others believed to be accurate. No guarantee of their accuracy is made however, and such statements may be changed without notice.

THIS PRODUCT IS SOLD "AS IS", WITHOUT WARRANTY, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO, ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR PARTICULAR PURPOSE, AND UPON THE CONDITION THAT PURCHASER MAKE ITS OWN TESTS TO DETERMINE THE SUITABILITY OF SUCH PRODUCT FOR PURCHASER'S PARTICULAR PURPOSES. SHERWIN-WILLIAMS SHALL IN NO EVENT BE LIABLE FOR ANY INDIRECT, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES.

Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation may not apply to you. The purchaser assumes all risk of purchase, storage, transportation, handling, use and performance of this product, whether or not in accordance with any statements of Sherwin-Williams. Sherwin-Williams' entire liability, if any, for any claim arising out of the purchase, storage, transportation, handling, use or performance of this product shall be limited exclusively to providing replacement product or the refund of the purchase price paid for the product, as determined by Sherwin-Williams.


<http://www.sherwin-williams.com/>




CertainTeed
PURESTART
NON*

2005

**ASPHALT
SHINGLE
PRODUCTS
LIMITED
WARRANTY**
**CERTAINTEED
CORPORATION**



THE
ROOFING
COLLECTION®

CertainTeed 

This document is available in Spanish. Call 1-800-404-9880. (Note: The operators do not speak Spanish.)
Se puede obtener este documento en español. Favor de llamar 1-800-404-9880. (Los operadores no hablan español.)

CONGRATULATIONS! ... and thank you for your recent purchase of one of the fine products in the CertainTeed Roofing Collection™. Since 1904, CertainTeed has been producing quality roofing products that provide long-lasting beauty and protection for homes of every size, style and age. For the past 100 years, the basis for our name, "Quality made *certain*, satisfaction *guaranteed*," has been our ongoing philosophy.



Celebrating a Century of Building America

Your CertainTeed roofing warranty fully explains how CertainTeed supports its products with the strongest warranty protection available. It is important that you read the warranty section of this brochure. The warranty lists the specific CertainTeed asphalt shingle products that are covered and the period of time for which they are covered. Take the time to understand how CertainTeed protects your purchase by standing behind our products.

SURESTART™ PROTECTION

Because CertainTeed roofing products are manufactured to the highest quality standards, we confidently include the additional assurance of SureStart™ protection with all CertainTeed shingles. SureStart provides the strongest protection you can get in the vital early years after your new roof has been applied.

Simply put, if a manufacturing defect is discovered during the SureStart period, CertainTeed will provide reimbursement of 100% of the cost of the shingles and labor to repair the defective shingles or apply new shingles to replace the defective shingles (exclusive of costs of tear-off, metal work and disposal). SureStart protection is not prorated or otherwise reduced over time.

SureStart protection does not extend to any shingles applied to any non-ventilated or inadequately ventilated roof deck systems, except as stated on page 6.

TRANSFERABILITY

The warranty for CertainTeed shingles is transferable by the original property owner/consumer to the first subsequent owner. Upon transfer of the warranty during the product's SureStart period, the remaining duration of the warranty for the new owner is the same as it would have been for the original owner, except for lifetime products where the duration of the warranty will be 50 years measured from date of installation.

The remaining period of SureStart protection will be available to the first subsequent property owner.

For product warranties transferred after the SureStart period has elapsed, the remaining duration of the transferred warranty will be limited to **two** years from the date of real estate title transfer.

LIMITED WARRANTY

This warranty covers asphalt shingle products
sold only in the United States of America, its territories and Canada.

What and Who Is Covered and for How Long

CertainTeed warrants to the original property owner/consumer that its asphalt roofing shingles will be free from manufacturing defects for the length of time specified in Table 1, and that CertainTeed will repair or replace, at its option, any shingles proven to be defective under the terms of this warranty.

In addition, CertainTeed warrants that the Algae-Resistant versions of Grand Manor Shingle[®], Centennial Slate[™], Carriage House Shingle[™], Presidential Shake[™] TL, Landmark[™] TL and Presidential Shake[™] AR will remain free from algae growth (but **not** mold or mildew growth) which adversely affects the overall appearance of said shingles for a period of fifteen (15) years, and that Independence Shingle[®] AR, Hatteras[®], Landmark[™] 50 AR, Woodscape[®] 50 AR, Landmark[™] 40 AR, Landmark[™] 40 IR, Landmark[™] 30 AR, Woodscape[®] 30 AR, Classic Horizon Shingle[®] AR, XT[™] 30 AR, XT[™] 30 IR, Patriot[™] AR, XT[™] 25 AR/Seal King[™] 25 AR and CT20 AR shingles that were sold as "algae-resistant shingles" will remain free from algae growth (but **not** mold or mildew growth) which adversely affects the overall appearance of said shingles for a period of ten (10) years. However, CertainTeed reserves the right to clean the algae stains from the shingles rather than repair or replace the contaminated shingles.

In the event of repair, replacement or cleaning pursuant to the terms of this warranty, the original warranty shall apply to the replacement shingles or the repaired or cleaned shingles and will extend for the balance of the warranty period in effect at the time the shingles proved defective.

The lifetime coverage for Grand Manor Shingle, Centennial Slate, Carriage House Shingle, Presidential Shake TL, and Landmark TL offered by this warranty is designed to cover individual homeowners only. In the instance of shingles purchased by or installed upon property owned by, for example, corporations, governmental agencies, partnerships, trusts, religious organizations, schools, condominiums or cooperative housing arrangements, or installed on apartment buildings or any other type of building or premises not used by individual homeowners as their residence, the warranty period for Grand Manor Shingle, Centennial Slate, Carriage House Shingle, Presidential Shake TL and Landmark TL will be 50 years following the installation of the shingles. Further, CertainTeed's maximum liability after the SureStart period will be calculated using the figure indicated in Table 1 as the maximum material liability, exclusive of costs of labor, roof tear-off, metal work, and disposal, and by then decreasing that amount by the reduction figure specified in Table 1 for each month as measured from the date the shingles were installed to the date when proven defective.

SureStart[™] Protection

All of CertainTeed's shingle products are covered by SureStart[™] protection for the period specified in Table 1. Under this warranty feature, CertainTeed, at no charge, will repair or replace, at its option, any shingles proven to be defective during the applicable SureStart period (the SureStart period begins when shingle application has been completed and terminates at the end of the year indicated as its term of duration; i.e., the SureStart period for Independence Shingle terminates at the completion of its fifth year of service). CertainTeed's maximum material liability under SureStart will be equal to the reasonable cost to replace the defective shingles, plus labor. CertainTeed shall not be responsible or liable for costs of roof tear-off and disposal and of flashing and metal work (and repairs required by defects therein) except for Grand Manor Shingle, Centennial Slate, Carriage House Shingle, Presidential Shake TL and Landmark TL, for which CertainTeed's maximum liability will also include the cost of roof tear-off and disposal.

SureStart protection does not extend to any shingles applied to any non-ventilated or inadequately ventilated roof deck systems, except as stated on page 6. In the case of these shingles, CertainTeed's maximum contribution toward the cost of repairing, replacing or cleaning the defective shingles will be calculated using the figure indicated in Table 1 as the maximum material liability, exclusive of costs of labor, roof tear-off and disposal, and by then decreasing that amount by the reduction figure (related to shingles applied to an inadequately ventilated roof deck) for each month as measured from the date the shingles were installed to the date when proven defective.

In instances in which CertainTeed, under the terms of this warranty, has agreed to pay the cost of labor required to repair, replace or clean defective or contaminated shingles, CertainTeed will provide reimbursement only upon receipt of a copy of the contractor's invoice or other written evidence of the completion of such work which CertainTeed, in its sole discretion, deems acceptable.

Flintlastic[™] SA (Self-Adhering) System

For small low slope residential roofing projects – less than 20 squares (such as decks, additions and porches) – CertainTeed offers the following 10-year SureStart membrane warranty on our two-ply system consisting of Flintlastic[™] SA Base and Flintlastic SA Cap sheet, providing the system has been applied in accordance with CertainTeed's current written installation instructions.

Please refer to next page for remainder of
warranty, including other conditions.

TABLE 1

Product	Warranty Period	SureStart™ Period	Wind Warranty MPH	Algae Resistant Warranty Period**	Maximum Material Liability After SureStart Period	Reduction Figure Per Month
GRAND MANOR SHANGLE™	LIFETIME	10 YEARS	110	15	\$140/Square	1/600*
CENTENNIAL SLATE™	LIFETIME	10 YEARS	110	15	\$130/Square	1/600*
CARRIAGE HOUSE SHANGLE™	LIFETIME	10 YEARS	110	15	\$110/Square	1/600*
PRESIDENTIAL SHAKE™ TL (and AR)	LIFETIME	10 YEARS	110	15	\$140/Square	1/600*
LANDMARK™ TL (and AR)	LIFETIME	10 YEARS	110	15	\$120/Square	1/600*
PRESIDENTIAL SHAKE™ (and AR)	50 YEARS	10 YEARS	110	15	\$95/Square	1/600
LANDMARK™ 50 (and AR)	50 YEARS	5 YEARS	90††	10	\$55/Square	1/600
WOODSCAPE™ 50 AR	50 YEARS	5 YEARS	90††	10	\$55/Square	1/600
INDEPENDENCE SHANGLE™ (and AR)	50 YEARS	5 YEARS	110	10	\$55/Square	1/600
HATTERAS™	40 YEARS	5 YEARS	110	10	\$55/Square	1/480
LANDMARK™ 40 (and AR) (and IR)	40 YEARS	5 YEARS	80††	10	\$45/Square	1/480
HALLMARK SHANGLE™	40 YEARS	5 YEARS	80	N/A	\$55/Square	1/480
XT™ 30 (and AR) (and IR)	30 YEARS	5 YEARS	70	10	\$35/Square	1/360
LANDMARK™ 30 (and AR)	30 YEARS	5 YEARS	70††	10	\$40/Square	1/360
WOODSCAPE™ 30 AR	30 YEARS	5 YEARS	70††	10	\$40/Square	1/360
PATRIOT™ AR	30 YEARS	5 YEARS	70	10	\$40/Square	1/360
CLASSIC HORIZON SHANGLE™ (and AR)	30 YEARS	5 YEARS	70	10	\$40/Square	1/360
NEW HORIZON SHANGLE™	30 YEARS	5 YEARS	70	N/A	\$40/Square	1/360
HEARTHSTEAD™	25 YEARS	5 YEARS	60	N/A	\$35/Square	1/300
CUSTOM LOK™ 25	25 YEARS	5 YEARS	60	N/A	\$35/Square	1/300
XT™ 25 (and AR)/Seal King™ 25 AR	25 YEARS	5 YEARS	60	10	\$30/Square	1/300
SEALDON™ 25	25 YEARS	5 YEARS	60	N/A	\$30/Square	1/300
JET™ 25	25 YEARS	4 YEARS	60	N/A	\$30/Square	1/300
CT 20 (and AR)	20 YEARS	3 YEARS	60	10	\$25/Square	1/240
ANY SHINGLES APPLIED TO ANY INADEQUATELY VENTILATED ROOF DECK	10 YEARS†	N/A	N/A	N/A	See Above	1/120

* For Grand Manor Shangle, Centennial Slate, Carriage House Shangle, Presidential Shake TL and Landmark TL, at the completion of the 40th year the reduction figure will remain at 480/600, or 20% of the total maximum liability.

** Algae Resistant Warranty period cited is only applicable to Algae Resistant version of the pertinent shingle.

† For details of warranty coverage for shingles installed on inadequately ventilated roof decks on both residential and commercial buildings, see provisions on page 6 under "Inadequately Ventilated and Non-Ventilated Decks."

†† Laminated wind warranty upgrade. Roof shingles shall be resistant to blow-off due to wind velocities, including gusts, up to a maximum of 110 miles per hour for Landmark 50 and Woodscape 50, 90 mph for Landmark 40 and 80 mph for Landmark 30 and Woodscape 30, during the first five (5) years following application, provided that the shingles are installed using six (6) fasteners, in the common bond area, per shingle.

CertainTeed warrants that Landmark 40 IR and XT30 IR are compliant with UL 2218 Impact Resistance of Prepared Roof Covering Materials test criteria at time of manufacture.

CertainTeed warrants the roof membrane for a period of 10 years from the date of completion of the roof membrane installation. During the duration of this warranty, CertainTeed will repair the roof membrane as necessary to retain the membrane in a watertight condition. Only leaks or other membrane deficiencies that result from manufacturing defects are covered by this warranty. CertainTeed and/or its designated roofing contractor will repair, at CertainTeed's expense, such leaks or other membrane deficiencies covered by the warranty as necessary to retain the roof membrane in a watertight condition. CertainTeed is not responsible for any costs related to the removal or abatement of any asbestos present in any existing roofing system to which the CertainTeed roofing membrane is applied. The roof membrane referred to herein shall include the following components: a base sheet and a cap sheet applied per CertainTeed published specifications. The roof components which are not part of the roof membrane and hence NOT covered by this warranty are the following: underlying roof deck, insulation, vapor retarders, fasteners, metal work, drains, skylights, vents, plastic accessories, any flashing, decorative or reflective coating, surfacing and/or any ballast, rock or gravel.

Beyond SureStart™ Protection

Should any shingles prove to be defective subsequent to the SureStart™ period, CertainTeed's maximum contribution toward the cost of repairing or replacing the defective shingles will be calculated using the figure indicated in Table 1 as the maximum material liability, exclusive of costs of labor, roof tear-off and disposal, and by then decreasing that amount by the specified reduction figure for each month as measured from the date the shingles were installed to the date when proven defective.

Transferability

DURING THE SURESTART PERIOD

This limited warranty may be transferred by the original property owner/consumer to the first subsequent property owner. If the warranty is transferred by the original property owner/consumer during the SureStart period, the duration of the warranty, measured from the date of installation, will remain the same as for the original property owner/consumer, and the remaining period of SureStart protection will be available to the subsequent property owner.

With respect to Grand Manor Shingle, Centennial Slate, Carriage House Shingle, Presidential Shake TL and Landmark TL, if this warranty is effectively transferred during the ten (10) year SureStart period, the duration of the warranty will be 50 years measured from the date of installation, and the remaining period of SureStart protection will be available to the subsequent property owner.

AFTER THE SURESTART PERIOD

In the event that the warranty is transferred by the original property owner/consumer subsequent to the SureStart period, the warranty duration following the transfer will be two years from the date of real estate title transfer, and the warranty obligation will be calculated as explained in the above section titled "Beyond SureStart Protection."

Limitations

This warranty does not provide protection against any failure, defect or damage caused by situations and events beyond normal exposure conditions, including but not limited to:

- winds, including gusts, greater than those listed in Table 1 for each product, lightning, hurricane (see Limited Wind Warranty for hurricane wind exception), tornado, hailstorm, earthquake, fire, explosion, flood or falling objects.
- distortion, cracking or other failure, or movement of the base material over which the shingles are applied, or of the roof deck, or of the walls or foundation of the building itself.
- damage caused by structural changes, alterations or additions, or by the installation of equipment (such as aerials, signs or air-conditioning equipment) to the structure after the original shingles have been applied.
- stains or contamination to the shingle arising from sources such as, but not limited to, moss, lichens or other vegetation, mold or mildew growth, or paints, chemicals or other similar materials, unless the applied asphalt shingle was sold as an "algae-resistant shingle," in which case CertainTeed will clean, repair or replace, at its option, per the terms of the warranty, only such shingles which are proven to be contaminated with algae during the term of the warranty against algae growth.
- misuse, abuse or improper handling or storage of CertainTeed shingles.
- installation of shingles over non-approved roof decks as fully explained in the CertainTeed *Shingle Applicator's Manual*.
- damage to CertainTeed shingles, the roof deck or the structure caused by ice backup or ice damming.
- improper application or application not in accordance with CertainTeed's current written installation instructions.

Mold and mildew are functions of environmental conditions and are not manufacturing defects. As such, mold and mildew are not covered by this warranty or any implied warranty.

CertainTeed reserves the right to discontinue or modify any of its products, including the color of the shingles, and shall not be liable as a result of such discontinuance or modification, nor shall CertainTeed be liable in the event replacement material varies in color in comparison to the original product as a result of normal weathering. If CertainTeed replaces any material under this warranty, it may substitute products designated by CertainTeed to be of comparable quality or price range in the event the product initially installed has been discontinued or modified.

WARNING: FOR LOW-VOLUME RAIN AND SALT-FOG AREAS

In areas of low-volume rain (defined as insignificant rainfall during a 90-day period) and "salt fog," such as parts of the Southern California coastline, copper released by algae-resistant (AR) granules can react with the aluminum in gutters, leading to severe corrosion of the gutters. Therefore, in such regions, it is strongly recommended that aluminum gutters not be used with algae-resistant shingles. Vinyl or copper gutters are recommended.

CertainTeed disclaims all liability and responsibility for any damages that may be incurred by the use of its algae-resistant shingle products containing copper granules where aluminum gutters are used.

CertainTeed shall not have any liability or responsibility under its warranty for a) Damage to or defects in its shingles caused by settlement, movement, distortion, deterioration, cracking, or other failure of the roof deck or of the materials used as a roofing base over which its shingles are applied, b) Damage caused by the growth of mold or mildew, or c) Defects, damage, or failure caused by application of its shingles not in strict adherence with CertainTeed's written instructions.

In any instance in which the shingles qualify for only a 10-year warranty, CertainTeed's obligation will be calculated by using both the maximum material liability and applicable monthly reduction figure shown in Table 1 related to shingles applied to an inadequately ventilated roof deck.

Please refer to next page for remainder of warranty, including other conditions.

Inadequately Ventilated and Non-Ventilated Decks

Any shingles applied to inadequately ventilated or non-ventilated decks, other than the shingles and deck systems described in the paragraph below, titled "Insulated Decks and Radiant Barriers," shall qualify for a reduced warranty duration of 10 years with no SureStart coverage, with respect to shingle problems related to the absence of adequate roof system ventilation (see warranty for details).

Insulated Decks and Radiant Barriers

CertainTeed's Limited Asphalt Shingle Warranty, including SureStart™ coverage, will remain in force when its fiber glass asphalt shingles manufactured to meet ASTM D3462 are applied to roof deck assemblies (slopes $\geq 2:12$) where foam insulation is prefabricated into the roof deck system (often called "nailboard insulation"), where insulation is installed beneath an acceptable roof deck system, or where radiant barriers are installed, with or without ventilation directly below the deck. Acceptable roof deck surfaces must consist of either minimum $3/8$ " thick plywood or minimum $1/16$ " thick OSB. If an alternate deck surface material is being considered, contact CertainTeed Technical Services. **See the following important restrictions.**

The design professional is responsible for ensuring 1) proper quality and application of the insulation and/or radiant barrier, 2) provision of adequate structural ventilation and/or vapor retarders as determined to be necessary, and 3) that all local codes are met (particularly taking into account local climate conditions). Special attention must be taken if cellular foam, fiber glass, or cellulose insulations, or other highly-permeable insulation will be used in an unventilated system, or if the insulation/rafter or insulation/joist planes may create an air leak that could lead to moisture transmission and condensation problems. *All these important factors and decisions, while **not** the responsibility of CertainTeed Corporation, are critical to assure proper deck system performance.*

Ventilated Nail-Base Roof Insulation

Ventilated Nail-Base Roof Insulation products consist of rigid insulation (typically foam board) and some sort of material to provide air space above the insulation and below a nailable deck (which is typically minimum $1/16$ " thick OSB or minimum $3/8$ " plywood). These products can be a satisfactory way to provide soffit-to-ridge ventilation over cathedral-type ceilings, and their proper use will allow CertainTeed's Limited Asphalt Shingle Warranty to be unreduced. It is important to follow the deck manufacturer's instructions and ensure that sufficient ventilation is achieved. CertainTeed offers FlintBoard™ CV — cross-ventilating insulation boards with 1", $1\frac{1}{2}$ " and 2" air channels.

Limited Wind Warranty

CertainTeed warrants both its fiber glass asphalt shingles and its organic-base asphalt shingles to resist blow-off damage due to wind velocities, including gusts, and including hurricane winds where applicable (over 75 mph) during the first ten (10) years following application for Grand Manor Shingle, Centennial Slate, Carriage House Shingle, Presidential Shake TL, Landmark TL, Presidential Shake and Hatteras shingles. All other shingle products are warranted to resist blow-off damage due to wind velocities, including gusts, up to the maximum wind velocity per product listed in Table 1 (including hurricane winds where applicable) during the first five (5) year period following application of the shingles.

If any such blow-off damage does occur during those initial time periods after application, CertainTeed will furnish replacement shingles without charge for those shingles damaged (but will not be responsible for labor costs pertaining to removal or replacement of damaged shingles). If the applied shingles contain self-sealing asphalt strips, and if any of these strips fail to activate within the first year following application, CertainTeed shall have no liability under this warranty for such a defect unless CertainTeed is afforded the opportunity to hand-seal, at its expense, any non-sealing shingles.

Any costs in excess of CertainTeed's contribution shall be the owner's responsibility through homeowner's insurance, etc.

What the Customer Must Do

The property owner must promptly notify CertainTeed in writing of any manufacturing defect or algae contamination and provide proof of the date of purchase and date of application of the shingles. CertainTeed will then investigate the claim, and if a defect covered by this warranty is confirmed, CertainTeed, within a reasonable amount of time after inspecting the shingle, will repair, replace or clean the defective shingles or reimburse the property owner the appropriate amount for the repair, replacement or cleaning of the shingles under the terms of the warranty.

All notifications should be sent to: CertainTeed, 1400 Union Meeting Road, Blue Bell, PA 19422
Attn: RPG Technical Services Department,
Telephone number: 800-345-1145

Warranty Registration (not required)

CertainTeed would like to offer you a way to safeguard your investment by registering your product warranty on the CertainTeed Website at www.certainteed.com/warranty. You will then receive a numbered registration confirmation by return e-mail that can be printed out and kept with this warranty document and your proof of purchase. Failure to register this warranty shall NOT void the warranty or any of its terms. **For those without internet access please feel free to provide us with your complete name, address and phone number; the name and contact information for your roofing contractor and the name of the shingle, number of squares, color and installation date.** We will register the information for you and mail you the confirmation.

Mail to CertainTeed Corporation, Roofing Products Group
P.O. Box 860, Valley Forge, PA 19482.

Please refer to back page for remainder of warranty, including other conditions.


WHAT IS A SELF-SEALING STRIP?

Most shingles contain a factory applied self-sealing asphalt strip which must be subjected to direct sunlight for several days before sealing will occur. Shingles installed in the fall or winter may not seal until the following spring. Shingles which do not receive direct sunlight or which are not exposed to adequate surface temperatures may never seal and must be hand sealed at time of application. Improper installation of shingles, or damage to the factory applied self-sealing strip by dust, sand, or foreign matter, will prevent the sealing strip from activating. Failure of the shingles to seal under any of the above circumstances is **not** a manufacturing defect and CertainTeed will not be responsible for repairing, replacing or hand-sealing any shingles under any such circumstance.

WHAT IS A "SHANGLE®"?


The "Shangle®," an idea conceived by CertainTeed over 35 years ago, is the original "laminated shingle." The Shangle features a full-size, one-piece shingle as a base, to which individual shingle tabs or overlay pads are applied, providing extra protection and aesthetic enhancement to the roof.

A *Super Shangle®* takes this idea one step further by using it on an 18" x 36" base layer, adding another shingle layer and the shingle tabs.




WHAT IS A TRI-LAMINATE™?

Our patented Tri-Laminate™ process combines three layers of the industry's most durable materials into an exceptionally strong, dramatically thick roofing product styled with the classic appeal of wood shakes. The stunning, 3-dimensional appearance of CertainTeed's Super Shake™ products gives your roof tremendous depth and distinction beyond comparison.



WHAT IS A TWO-PIECE LAMINATE?

Whereas a Shangle consists of a full-size, one-piece base shingle onto which tabs or pads are applied, a two-piece laminate uses a full-size shingle with tab-size teeth cut out of it. Adhered to the back of this top shingle is a half shingle that runs behind the cutouts. The result is a multi-layered shingle that provides a rugged, textured look on the roof.



WHAT IS AN ALGAE-RESISTANT SHINGLE?

Many of CertainTeed's fiber glass shingles are available in an algae-resistant version. Commonly, although incorrectly, called "fungus," the black and green algae that creates unsightly streaking on shingles is a common occurrence in warm, humid climates. CertainTeed AR shingles carry an exceptional 10- or 15-year limited warranty against algae contamination.

FOR YOUR RECORDS ONLY:

Product Purchased _____ Date of Installation _____

Roofing Contractor _____ Contractor's Phone No. _____


This warranty, which is effective on shingles applied on or after January 1, 2005, supersedes the written warranty previously issued by CertainTeed coded No. 20-20-1890.

THIS WARRANTY REPLACES ALL OTHER ORAL OR WRITTEN WARRANTIES, LIABILITIES OR OBLIGATIONS OF CERTAINTEED. APPLICABLE STATE LAW WILL DETERMINE THE PERIOD OF TIME FOLLOWING THE SALE THAT A PROPERTY OWNER/CONSUMER MAY SEEK A REMEDY UNDER THE IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. IN NO EVENT SHALL CERTAINTEED BE LIABLE FOR CONSEQUENTIAL OR INCIDENTAL DAMAGES OF ANY KIND, INCLUDING ANY DAMAGE TO THE BUILDING, ITS CONTENTS OR ANY PERSONS THEREIN, RESULTING FROM THE BREACH OF THIS WARRANTY. NO FIELD REPRESENTATIVE, DISTRIBUTOR OR DEALER OF CERTAINTEED IS AUTHORIZED TO CHANGE OR MODIFY THIS WARRANTY. SOME STATES DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THE ABOVE EXCLUSIONS MAY NOT APPLY TO YOU.

This warranty gives you specific legal rights, and you may also have other rights that vary from state to state.

ROOFING PLANTS AND REGIONAL SALES OFFICES

CertainTeed roofing products are sold by the Roofing Products Group of CertainTeed Corporation in seven sales regions. They are manufactured in eleven residential roofing plants and two commercial roofing plants.



Since the early 1900s, CertainTeed Corporation has been an innovator in the building materials industry and today is a leading manufacturer of building materials including residential and commercial roofing, vinyl and fiber cement siding, vinyl windows, composite decking and railing, fiber glass insulation, vinyl fence, and piping products. The company is headquartered in Valley Forge, Pennsylvania, and employs more than 7,000 employees at approximately 50 manufacturing facilities throughout North America. Continuing the 100-year commitment of "quality made certain, satisfaction guaranteed." CertainTeed remains one of the most trusted names in the industry. More information is available at www.certainteed.com.

CertainTeed Corporation
Roofing Products Group
P.O. Box 860 • Valley Forge, PA 19482
800-345-1145

CertainTeed

Quality made certain, Satisfaction guaranteed.

© 2005 CertainTeed Corporation 20-20-1927

VARIFORM™

SIDING | ACCESSORIES | TRIM | HOME

VARIFORM™

BEST QUALITY™

How to Care for Vinyl Siding and Aluminum Products From Variform

Your selection of Variform siding and/or Aluminum products to cover your most valuable investment should provide a beautiful appearance and long-lasting protection for your home. To keep your investment beautiful over the years, you should implement the following procedures at least annually for the major care of your Variform Siding and Aluminum Products:

- 1. General Cleaning.** Use an ordinary garden hose to give your siding a light rinse working from the top down.
- 2. Moderate Atmospheric Dirt.** We recommend at least an annual washing with clear water using a garden hose and soft-bristled brush. A long-handled car washing brush is ideal for this purpose.
- 3. Heavy Industrial Atmospheric Dirt.** Wash in the manner indicated above, but use the following solution:
 - 1/3 cup detergent (Tide, for example)
 - 2/3 cup trisodium phosphate
 - 1 gallon water
- 4. Mildew Accumulation.** Mildew can collect on surfaces of all types of building products and is often evident on surfaces that have not been properly cared for and maintained. Normally, mildew will appear as black spots. Mildew can be removed by using the basic cleaning solution above with the addition of sodium hypochlorite as follows:
 - 1/3 cup detergent (Tide, for example)
 - 2/3 cup trisodium phosphate
 - 1 quart sodium hypochlorite 5% solution (Clorox, for example)
 - 3 quarts water
- 5. Additionally for Aluminum Products.** For caulking compounds, tar and similar substances use mineral spirits in reasonable amounts and apply directly to the foreign substance. Immediately after cleaning, rinse the area thoroughly with water.

CAUTION: Do not exceed the recommended concentrations of cleaners; to do so can cause damage to the products' surface. Avoid skin and eye contact with the solution, and in all cases follow manufacturer's instructions for the use of cleaning compounds and solutions. Avoid use of abrasive-type cleaners and strong solvents. Test any cleaner on an inconspicuous area before applying to major areas. To minimize streaking, always clean from the bottom to the top and follow with a rinsing of clear water. Excessive scrubbing is unnecessary, can be harmful to the products, and may cause undesirable glossy areas over the finish.

CAUTION: Do not use or mix sodium hypochlorite with other household chemicals or products containing ammonia. To do so will release hazardous gases.

CAUTION: Use care not to saturate window and door openings when cleaning your Variform siding and aluminum products.

TIP: Where the house is extremely dirty, it is recommended you start washing from the bottom and go to the top, rinsing frequently. Cleaning solutions should be permitted to stand on the surface of the siding and/or soffit for several minutes before rinsing.

TIP: Pay particular attention to areas under eaves, porches, awnings, and other overhangs that have limited exposure to the natural washing effect of rainfall.

VARIFORM VINYL SIDING PRODUCTS

Congratulations on your purchase of Variform vinyl siding and soffit!

We believe you will be pleased with this excellent product. However, if you have any problems, we will try to resolve them in accordance with this warranty. We want you to remain a satisfied Variform customer! Please read this document carefully, so you will know the extent of the coverage.

Definitions of terms printed in an italic typeface appear on Page 4 of this document. This warranty is effective March 1, 2006.

Assurance of Quality

PREMIUM VINYL SIDING FROM VARIFORM is confidently backed by our Limited Lifetime Transferable Warranty. As one of the industry's leading manufacturers of vinyl siding since 1964, Variform continues to exceed standards for quality, durability and the beauty of our exterior products. Premium vinyl siding manufactured by Variform incorporates technical advances in material formulations and the highest standards of quality control. We are confident of our products and we are sure you will be too, for many years to come.

Why Siding Warranty?

A LIMITED LIFETIME TRANSFERABLE WARRANTY

To enjoy the benefits of this protection, please make sure you:

- Register your warranty. Your prompt product registration ensures your right to the protection under this warranty. We will keep this information on file so it will be available if necessary.
- Protect your product. Caring for your siding will help preserve its beauty. See Page 1 for instructions.

What is Covered by This Warranty?

Technical Support

We will provide technical support to you and your installer on installation, maintenance and repair problems. However, our warranty only covers technical advice by us that is issued in writing. Our current toll free service number is (800) 800-2244.

Manufacturing Defects

We will repair, replace or refund the *purchase and installation price* of the defective portion of our *siding* that blisters, checks, crazes, flakes, peels or *weathers unevenly* due to a defect in our manufacturing process.

Excessive Color Fade

We will repair, replace or refund the initial *purchase and installation price* of any portion of our *siding* that experiences *excessive color fade* after the installation of the siding, subject to our examination of a siding sample and you performing at least annually as preventative maintenance the cleaning described on Page 1.

Hail Damage

We will either furnish replacement material or refund the original purchase price of any portion of our siding that experiences hail damage. We do not cover labor costs for installation of replacement materials to repair hail damage, nor do we provide any *coverage* to the extent that the hail damage is covered by other insurance. In all cases, the remedy we choose is solely up to us.

LIMITED
LIFETIME
TRANSFERABLE
WARRANTY

How Long Does the Warranty Last?

Individuals

The coverage continues until the earlier of (a) the death of the last to survive of the original individual owners of the *residence* on which the siding is installed or (b) a transfer of the residence. Variform vinyl siding products are non-prorated to the original purchaser.

Corporations or Other Entities

In the case of siding purchased by, or installed on property owned by corporations, governmental agencies, partnerships, trusts, religious organizations, schools, condominiums or cooperative housing arrangements, or installed on apartment buildings, other rental property, or other types of buildings or premises not used by individual homeowners as their residences, the warranty period will be 50 years following the installation of the siding, prorated as shown on the prorating schedule below.

First-Time Transferees

The coverage continues on a prorated basis for the *first-time transferees* of the siding from the original purchasers until the earlier of (a) the fiftieth anniversary of the initial installation or (b) a further transfer of the residence or building. When we choose to repair or refund to a first-time transferee, we will pay only a prorated portion of the initial purchase and installation price of the defective portion of our siding, according to the schedule below.

Years from date of original installation	Percent of total claim cost to be covered (including material and labor, if repair is elected by Variform).*
0-5	100%
6	90%
7	80%
8	70%
9	60%
10	50%
11	40%
12	30%
13	20%
14-50	10%

* Total claim cost of refund not to exceed original purchase and installation price.

What Must We Do to Be Covered?

Because of the length and scope of coverage, you must do the following to be entitled to coverage.

1. For this warranty to cover you, you must accept this warranty within one year after installation. You may do this by completing and returning the attached Warranty Registration Card. We suggest that you keep a copy for your records. You may also accept the warranty by following the Warranty Registration procedures shown on our Internet web site at www.variform.com.
2. Notify us in writing of any defects or other conditions that may be covered by this warranty within a reasonable time after you discover the condition. The written notice should describe the defect in detail. For claims of *excessive color fade*, in order to accurately evaluate, we will require the submission by homeowner to Variform (a) a sample piece of the affected area on any and all even color loss claims and (b) a copy of an annual preventative cleaning schedule. You should also provide any additional information that our Warranty Department may request. Our notification address is: Warranty Department, Variform, Inc., 303 W. Major, P.O. Box 559, Kearney, Missouri 64060, toll free: (800) 800-2244.
3. Follow the maintenance procedures listed on Page 1 of this document under "How to Care for Vinyl Siding and Aluminum Products from Variform".
4. If you are a First-Time Transferee, your transferor must have complied with the above requirements; you must comply with Item 2; and you must also register your ownership of the siding within thirty days following the transfer. You may do this by fully completing and returning to us the Warranty Transfer Registration Card that is attached. We suggest that you keep a copy of this card for your records.
5. In the event we choose to repair or replace siding, you may need to identify a qualified installer or assist us in finding one.
6. Do not begin repair before you receive written notice from us. All warranty work must first be approved by us. If we elect to repair or replace rather than make a refund, we will see that the repair and/or replacement work is performed at a mutually agreeable time.

Items for Which We are Not Responsible

Our responsibility under this warranty is limited. In particular, WE ARE NOT RESPONSIBLE FOR any defects or failures due to:

- Installation or handling of siding after it leaves our factory, including any lack of performance or improper performance in any way by the siding installer. (Please assure that the siding is installed by a qualified installer. Although we are not responsible for installation, we can provide detailed, current installation instructions and manuals as needed.)

- Ⓕ Abnormal use of the siding.
- Ⓖ The application of paint, varnish or other coating over the siding's original finish or the application of heat or radiation from an external source such as a barbecue grill, another appliance, fire or reflection from windows or doors.
- Ⓕ Any lack of compatibility between our siding and any other product not manufactured by us that causes damage to or failure of the siding.
- Ⓕ Labor, transportation or installation costs, except when we choose to repair or replace the damaged or defective material and the damage does not result from hail.
- Ⓕ Color variance between any new replacement panel and other panels. (We reserve the right to discontinue or modify any siding product line or color without notifying the original purchaser. If the original siding product is not available, we retain the right to choose to use replacement material of equal value or quality.)
- Ⓕ Uneven fading, color change or "striping" of siding due to installation over dissimilar, inconsistent or inadequate sheathing or backer board;
- Ⓕ Damage caused by, among other things, weathering, oxidation, mold, mildew, settling of the building, failure of the structure (including foundations and walls), use of incompatible accessories, fire, flood, lightning, ice, wind-borne objects, earthquake, hurricane, sun, cyclone, gale, tornado, weather of a catastrophic nature, acts of God, intentional acts, unreasonable use, misuse, physical abuse, vandalism, riot, insurrection or civil disorder, accidents or corrosive atmospheres (such as those contaminated by acid rain, harmful chemicals or vapors).
- Ⓕ Except for excessive color fade after installation and uneven weathering, color change of the siding due to weathering, because weathering will cause any colored surface to gradually lighten, darken, chalk or accumulate dirt or stains. (The severity of these conditions depends on air quality, the geographic location of the property and other local conditions over which we have no control.)
- Ⓕ Fading or color change to any variegated siding or accessories and any custom-run colors of siding or accessories.
- Ⓕ Fading or color change of brown soffit or accessories when used as vertical siding or in any application with direct exposure to sunlight.

Ⓕ **WE ARE ALSO NOT RESPONSIBLE FOR AND DISCLAIM ANY WARRANTY NOT MADE EXPRESSLY IN THIS DOCUMENT. ANY IMPLIED WARRANTY, INCLUDING WITHOUT LIMITATION ANY IMPLIED WARRANTY OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE, IS LIMITED TO THE DURATION OF THE EXPRESS WARRANTY CONTAINED IN THIS WARRANTY DOCUMENT, UNLESS A SHORTER PERIOD IS PERMITTED BY LAW.**

Ⓕ **THE REMEDIES PROVIDED HEREIN ARE A WARRANTY CLAIMANT'S SOLE AND EXCLUSIVE REMEDIES, WHETHER FOR CLAIMS UNDER AN EXPRESS WARRANTY OR ANY IMPLIED WARRANTY, BREACH OF EITHER, IN TORT OR OTHERWISE IN NO EVENT ARE WE LIABLE FOR ANY SPECIAL, INDIRECT, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE PURCHASE, INSTALLATION, OWNERSHIP OR USE OF OUR PRODUCTS, NOR SHALL WE BE RESPONSIBLE FOR REPRESENTATIONS, WARRANTIES OR AGREEMENTS MADE BY ANY EMPLOYEE, AGENT OR OTHER PERSON THAT PURPORT TO MODIFY OR ADD TO ANY OF OUR OBLIGATIONS UNDER THIS DOCUMENT. YOUR EXCLUSIVE REMEDY FOR ANY BREACH OF WARRANTY IS SET FORTH IN THIS DOCUMENT.**

SOME STATES DO NOT ALLOW LIMITATIONS ON HOW LONG AN IMPLIED WARRANTY LASTS OR THE LIMITATION OR EXCLUSION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THE ABOVE LIMITATIONS OR EXCLUSIONS MAY NOT APPLY TO YOU. THIS WARRANTY GIVES YOU SPECIFIC RIGHTS, AND YOU MAY HAVE OTHER LEGAL RIGHTS WHICH VARY FROM STATE TO STATE.

These Definitions Apply to our Home Guard:

COVERAGE means the extent of our commitment to respond to any claim relating to the siding.

EXCESSIVE COLOR FADE means a change in the color of any siding in excess of a Delta E of five Hunter units, as determined by us, following the initial installation of the siding, provided that any uneven or abnormal fade distribution is not due to a buildup or accumulation of stains, dirt, mold, mildew, or any other deficiency caused by the lack of at least an annual preventative maintenance by the homeowner as such annual preventative maintenance is described in the Variform Installation Manual. Note: Because there is not an objective industry standard for measuring even color change on variegated color panels, the excessive color fade warranty coverage does not apply to variegated siding and accessories. In addition, the excessive color fade warranty does not apply to custom colors of siding and accessories.

FIRST-TIME TRANSFEREE means the first individual, person or entity to which any interest of the initial purchaser in the building on which the siding is initially installed or in the siding itself is voluntarily or involuntarily conveyed, transferred or assigned, whether by gift, sale or operation of law, after the initial installation of the siding.

PURCHASE AND INSTALLATION PRICE means the sum of (a) the total original cost of the siding that is defective or otherwise being replaced, plus (b) the total original cost of labor for the installation of siding that is defective or otherwise being replaced. If we cannot determine these amounts from original documents, we will compute the purchase and installation price using (i) our suggested retail price in effect at the time of the installation for the cost of material, (ii) labor rates prevailing in the area where the building is located at the time of installation and (iii) an estimated installation time for the cost of labor.

RESIDENCE means regular or full-time permanent lodging by a single family.

SIDING means vinyl siding, vinyl soffit or related vinyl accessories (but not scallops, shakes, or trim coil) manufactured by Variform, Inc.

WEATHERING means changes caused by exposure to sunlight, rain, air pollution, variations in temperature and other atmospheric conditions.

WEATHERS UNEVENLY or UNEVEN WEATHERING, such as checker boarding, means uneven or non-uniform change in color of contiguous elements of siding under uniform, even and equal exposure to sunlight, natural radiation, rain, natural variations in temperature or other atmospheric conditions.

VARIFORM ALUMINUM PRODUCTS LIMITED TRANSFERABLE WARRANTY

VARIFORM ALUMINUM PRODUCTS are confidently backed by this Limited Transferable Warranty. For over 40 years, Variform has embraced a commitment to quality and value. We manufacture a wide range of exterior building products made to the highest quality standards. We have confidence in our metal products and are sure that you will be too for many years to come. Our Aluminum Products include (i) gutter coil, downspouts, elbows, box miters, end caps, and outlets (all referred to together in this warranty as "Rainware"SM) and (ii) siding, soffit, fascia, premium trim coil, J-channel, F-channel, drip edge, corner posts, and undersill trim (all referred to together in this warranty as "Siding").

Warranty Coverage

Variform, Inc., warrants to the original property owners at the time of installation that the Aluminum Products will not, due to manufacturing defect, chip, flake, peel, rust, craze or blister under normal atmospheric conditions. In the event of a manufacturing defect, we will, at our sole discretion, repair, replace, refinish, or refund to you the value of the products found to be defective (with such value prorated if this warranty is transferred). Our obligation under this warranty will in no event exceed the purchase price of the originally installed products found to be covered and the cost of the labor involved in the original installation of such defective products.

This warranty is limited to the terms and conditions, exclusions and limitations, requirements and legal rights stated in this warranty.

How Long Does the Warranty Last?

For Rainware. If you are an individual, this Limited Transferable Warranty lasts until the earlier of (a) twenty (20) years from the date of original installation of the Rainware products, or (b) a second transfer of property or building ownership. If you are not an individual (e.g., you are a corporation or other entity) the warranty will last until the earlier of (a) twenty (20) years from the date of the original installation of the Rainware products, or (b) a transfer of the property or building.

For Siding. If you are an individual, this Limited Transferable Warranty lasts until the earlier of (a) the death of the last to survive of the original owners of the building on which Siding products are installed, subject to a fifty (50) year limitation in the case of a First Time Transferee, or (b) a second transfer of property or building ownership. If you are not an individual (e.g., you are a corporation or other entity), the warranty will last until the earlier of (a) fifty (50) years from the date of the original installation of the siding products, or (b) a transfer of the property or building.

Warranty Coverage Schedule for First-Time Transferees

Years from date of original installation	Percent of claim cost to be covered (including material and labor if repair is elected by Variform).*
0-5	100%
6	90%
7	80%
8	70%
9	60%
10	50%
11	40%
12	30%
13	20%
14-20 (for Rainware)	10%
14-50 (for Siding)	10%

* Total claim cost of refund, if any, not to exceed original purchase and installation price.

If you are a First-Time Transferee from the original owner(s), the coverage continues on a pro-rated basis under the Warranty Coverage Schedule until the earlier of (a) the twentieth anniversary of the original installation in the case of Rainware, or the fiftieth anniversary of the original installation, in the case of siding, or (b) a further transfer of the residence or other building.



Replacement Materials

Replacement materials are covered until the expiration of the original warranty (for a First-Time Transferee, prorated according to the Warranty Coverage Schedule). All warranty coverage is based on the terms and conditions set forth at the time of the original installation.

What This Warranty Does Not Cover

This warranty does not cover any defects, change, or failure due to installation or handling of the product after it leaves our factory, or other causes beyond the control of Variform, including, without limitation, any lack of performance, distortion, or buckling due to improper handling or misapplication of the product by the installer or surface cracking or crazing from shaping or forming at a jobsite in the course of installation. This warranty covers only the specific manufacturing defects described herein and excludes any other damages or material failure, including, but not limited to changes in surface color resulting from chalking, fading, soiling or staining (Exposure to the elements may cause these changes over time; the degree to which weathering occurs will vary depending on air quality, a building's location and other local conditions over which we have no control.), accidental damage, settlement, structural shrinkage or distortion of the structure, hail, fire, lightning, hurricane, tornado, windstorm, vandalism, earthquake, or other acts of God, contact with harmful or corrosive chemicals, fumes or vapors (including salt, ice melts, pesticides, preservatives in treated lumber, etc.), misuse, abuse, normal weathering, mold or mildew accumulation, the warranty owner's failure to provide reasonable and necessary maintenance of the product (see Care and Maintenance), impact of foreign objects, or other causes beyond the control of Variform. These products are not suitable for roofing applications and use in this manner will void the warranty. This warranty does not cover Variform's Economy Line Trim Coil.

WE ARE NOT RESPONSIBLE FOR AND DISCLAIM ANY EXPRESS WARRANTY NOT MADE IN THIS DOCUMENT. ANY IMPLIED WARRANTY, INCLUDING WITHOUT LIMITATION ANY IMPLIED WARRANTY OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE, IS LIMITED IN DURATION TO THE DURATION OF THE EXPRESS WARRANTY CONTAINED IN THIS WARRANTY DOCUMENT, UNLESS A SHORTER PERIOD IS PERMITTED BY LAW.

THE REMEDIES PROVIDED HEREIN ARE A WARRANTY CLAIMANT'S SOLE AND EXCLUSIVE REMEDIES, WHETHER FOR CLAIMS UNDER AN EXPRESS OR ANY IMPLIED WARRANTY, BREACH OF EITHER, TORT OR OTHERWISE.

IN NO EVENT ARE WE LIABLE FOR ANY SPECIAL, INDIRECT, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE BREACH OF THIS WARRANTY OR THE PURCHASE, INSTALLATION, OWNERSHIP OR USE OF OUR PRODUCTS, NOR SHALL WE BE RESPONSIBLE FOR REPRESENTATIONS, WARRANTIES OR AGREEMENTS MADE BY ANY EMPLOYEE, AGENT OR OTHER PERSON THAT PURPORT TO MODIFY OR ADD TO ANY OF OUR OBLIGATIONS UNDER THIS DOCUMENT. YOUR EXCLUSIVE REMEDY FOR ANY BREACH OF WARRANTY IS SET FORTH IN THIS DOCUMENT.

SOME STATES DO NOT ALLOW LIMITATIONS ON HOW LONG AN IMPLIED WARRANTY LASTS OR THE LIMITATION OR EXCLUSION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THE ABOVE LIMITATIONS OR EXCLUSIONS MAY NOT APPLY TO YOU. THIS WARRANTY GIVES YOU SPECIFIC RIGHTS, AND YOU MAY HAVE OTHER LEGAL RIGHTS WHICH VARY FROM STATE TO STATE.

Register Your Warranty

Your prompt product registration ensures your right to the protection under this warranty. You can register by mail or online at www.variformproducts.com. We will keep this information on file so that it will be available if necessary.

How to Receive Coverage Under This Warranty

For this warranty to cover you, you must comply with the conditions described in the six (6) paragraphs that follow (If you are a First-Time Transferee, your transferor must have complied with the first five:

- 1. Accept this warranty within one (1) year after installation, in the case of Siding products, or within thirty (30) days of installation, in the case of Rainware products. You may do this by completing and returning the attached Warranty Registration Card. We suggest that you keep a copy for your records. You may also accept the warranty by following the Warranty Registration procedures shown at our internet website at www.variform.com.**
- 2. Follow the maintenance procedures under "How to Care for Vinyl Siding and Aluminum Products from Variform" on page 1.**
- 3. Notify us in writing of any defects or other condition that may be covered by this warranty within a reasonable time after you discover the condition. The written notice should describe the defect in detail. Provide proof of purchase of the Variform product identified in your claim. You should also provide any additional information that our Warranty Department may request. Our notification address is: Warranty Department, Variform, Inc., 303 West Major, P.O. Box 900, Kearney, MO 64060-0900; toll free: (800) 958-2536.**
- 4. In the event we choose to repair, replace or refinish the product, identify a qualified installer or assist us in finding one, if we so request.**
- 5. Do not begin to repair before you receive written notice from us. Variform reserves the right to review and inspect all claims as deemed necessary. All warranty work must first be approved by us. If we elect to make repairs or replacements rather than provide a refund, we will see that the repair and/or replacement is performed at a mutually agreeable time.**

6. If you are a First-Time Transferee, register your ownership of our Aluminum Products within thirty days following the transfer. You may do this by transferring online at www.variformproducts.com or by fully completing and returning to us the Warranty Transfer Registration Card that is attached. We suggest that you keep a copy of this card for your records.

Our obligations under this warranty will in no event exceed the purchase price of the originally installed products found to be defective and the cost of the labor involved in the original installation of such defective products. Any additional costs and expenses beyond these amounts are your responsibility.

We reserve the right to discontinue or change any design or color of any of our products at any time and without notice or liability. If, for any reason, products of the type originally installed are no longer available from us at the time you make a warranty claim, we may substitute another product determined by us to be of comparable quality and price.

VARIFORM SHAKES & SCALLOPS PRODUCT

This warranty by Variform, Inc., provides 100% labor and material coverage against manufacturing defects in our Shakes and Scallops product for the first eight (8) years, and continued coverage on a prorated basis for the life of the products, to any properly registered homeowner who originally purchased the product. For the purposes of this warranty, "defects" means fading beyond normal weathering, blistering, peeling or excessive chalking.

In addition, this warranty provides hail damage coverage to give you peace of mind during stormy weather, as explained below. In the unlikely event that warranty work is required, Variform will repair, replace or refinish at its option, any Variform Shakes and Scallops product found to be defective.

- Products are designed so that they age as gracefully and naturally as authentic wood and masonry. Normal weathering may cause siding to gradually lighten, darken, chalk, or accumulate dirt stains. (The severity of these conditions depends on the air quality, the geographic location of the property, and other local conditions over which we have no control.)
- Fading is the loss of color over time, beyond normal weathering, which can be attributed to a manufacturing defect.
- Variform provides hail coverage, which covers the cost of material (not labor) for the repair, replacement, or refinishing of Shakes and Scallops product that suffers hail damage which is not covered by homeowner's insurance. Variform is not responsible for nor will it reimburse the homeowner for any deductible amount under a homeowner's insurance policy.

Steps to Protect Your Investment

- Variform cannot warrant against improper installation. To ensure proper installation, we recommend you choose a licensed and insured contractor who will take the appropriate steps to protect your investment by following the installation guidelines.
- Variform encourages you to register your warranty immediately after installation. Once registered, no additional paperwork will be required should you have a claim. If you have not registered, your original proof of purchase will be required in order to process your claim. For your convenience, a mail-in registration card is provided in each carton of siding.

Complete the Warranty Registration Card to the right of this warranty and mail to:

Warranty Claims Department
Variform, Inc.
P.O. Box 900, 303 W. Major
Kearney, MO 64060

Limitations of Coverage

- This siding is manufactured for vertical sidewall applications and for mansard roof applications. Warranty coverage will be provided if none of the following conditions exist:
 - Improper installation; not in accordance with Variform guidelines.
 - Improper or lack of maintenance or repair, improper storage, or improper handling of the product.
 - Use of incompatible accessories as outlined in the installation guidelines.
 - Damage caused by impact of foreign objects (other than hail), fire, earthquake, flood, lightning, hurricane, tornado or other acts of God.
 - Movement, distortion, cracking or settling of the wall and/or foundation.
 - Power washing; please see the Care and Maintenance section for instructions on how to clean your siding.
- The original warranty shall not be extended nor restarted upon completion of warranty work.
- Only the homeowner who originally purchased the Variform Shakes and Scallops product has any rights under this warranty.
- In the event of a partial repair or replacement, new panels may not necessarily match the original panels. A color variance may occur between new and replacement product due to normal weathering or manufacturing color variations.

Variform reserves the right to discontinue or change any product design, color or accessory without notice to the original owner or transferee.

WARRANTY CLAIM

To file a warranty claim, please contact Variform, Inc., at P.O. Box 559, Kearney, MO 64060, Attn: Warranty Department; or call 800-800-2244.

Warranty Proration Table

Number of years from date of installation	Portion of the remedial cost to be paid by owner
0-7	0%
8	10%
9	20%
10	30%
11	40%
12	50%
13-14	60%
15-16	70%
16-20	80%
21 years or more	90%

- All prorated calculations are based on current retail value of labor and materials in the trade area at the time of repair or replacement.
- The above table applies to relief under the terms of the warranty for manufacturing defects only. Coverage for hail damage is described on Page 8 and covers materials only, not labor.

How to Care for Shakes and Scallops from Variform

While the Shakes and Scallops product comes closer to being totally maintenance free than any other siding of its type on the market today, it may become dirty. As a result, it should be cleaned yearly to prevent dirt buildup or mildew.

Generally your siding can be cleaned satisfactorily with the use of an ordinary garden hose; do not power wash siding. If plain water does not remove the dirt, we suggest the following:

Gently wash siding with a soft bristle brush and water from garden hose. Where dirt is of a stubborn nature, the following cleaning solutions work well:

- 1 cup detergent (e.g., Tide)
- 2/3 cup trisodium phosphate
- 4 quarts of water

In certain geographic areas where mildew may be a problem, substitute one quart of 5% sodium hydrochloride (e.g., Clorox), for one quart of water in the above solution.

If the structure is extremely dirty, start washing from the top and work down to the bottom. Apply cleaning solution and let it stand several minutes so the dirt will loosen. The siding must be rinsed thoroughly with clear water to avoid staining and/or streaking.

WE ARE NOT RESPONSIBLE FOR AND DISCLAIM ANY EXPRESS WARRANTY NOT MADE IN THIS DOCUMENT. ANY IMPLIED WARRANTY, INCLUDING WITHOUT LIMITATION ANY IMPLIED WARRANTY OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE, IS LIMITED IN DURATION TO THE DURATION OF THE EXPRESS WARRANTY CONTAINED IN THIS WARRANTY DOCUMENT, UNLESS A SHORTER PERIOD IS PERMITTED BY LAW.

THE REMEDIES PROVIDED HEREIN ARE A WARRANTY CLAIMANT'S SOLE AND EXCLUSIVE REMEDIES, WHETHER FOR CLAIMS UNDER AN EXPRESS OR ANY IMPLIED WARRANTY, BREACH OF EITHER, TORT OR OTHERWISE.

IN NO EVENT ARE WE LIABLE FOR ANY SPECIAL, INDIRECT, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE BREACH OF THIS WARRANTY OR THE PURCHASE, INSTALLATION, OWNERSHIP OR USE OF OUR PRODUCTS, NOR SHALL WE BE RESPONSIBLE FOR REPRESENTATIONS, WARRANTIES OR AGREEMENTS MADE BY ANY EMPLOYEE, AGENT OR OTHER PERSON THAT PURPORT TO MODIFY OR ADD TO ANY OF OUR OBLIGATIONS UNDER THIS DOCUMENT. YOUR EXCLUSIVE REMEDY FOR ANY BREACH OF WARRANTY IS SET FORTH IN THIS DOCUMENT.

SOME STATES DO NOT ALLOW LIMITATIONS ON HOW LONG AN IMPLIED WARRANTY LASTS OR THE LIMITATION OR EXCLUSION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THE ABOVE LIMITATIONS OR EXCLUSIONS MAY NOT APPLY TO YOU. THIS WARRANTY GIVES YOU SPECIFIC RIGHTS, AND YOU MAY HAVE OTHER LEGAL RIGHTS WHICH VARY FROM STATE TO STATE.

WARRANTY TRANSFER REGISTRATION CARD

Transfer by mail or online at www.variform.com. This form is to be completed, signed by both the Original Purchaser of the Variform siding or Soffit and the First-Time Transferee and mailed to Variform, Inc., within thirty (30) days after the transfer of the building on which the Variform siding was installed.

Original purchaser _____ Phone # _____

Installation address _____

Date of installation _____ Product name _____ Color _____

I hereby certify I sold or transferred the building at the above address on this date: __/__/__ (day/month/year) to _____ (please print name of First-Time Transferee).

Signature of original purchaser _____

I acknowledge I have read the Variform Homeowner's Limited Lifetime Transferable Warranty and accept its terms and conditions.

WARRANTY REGISTRATION CARD

Register by mail or online at www.variform.com. This form is to be completed, signed and mailed to Variform, Inc., within one year after installation of Variform siding.

The undersigned has read and accepts the Variform Homeowner's Limited Lifetime Transferable Warranty and certifies that:

Name and address of installer _____

has installed Variform siding on the home or other building of the undersigned at:

Street _____ City _____ State _____ Zip _____

Products purchased vinyl siding aluminum products shakes & scallops etc. Color(s) _____ Date installed _____


Name of building owner _____ Phone # (include area code) _____

E-mail address _____

Signature of building owner _____

VARIFORM™

SIDING ACCESSORIES TRIM



Don't overlook the details! Variform offers a great selection of vinyl siding and matching accessories in a variety of colors and styles to finish your home, your way. From corners to columns, guttering to soffit, door surrounds to fascia, you'll find everything you need to define your home, beautifully—minus the maintenance.



MADE IN
THE U.S.A.

ASTM
D 3679

National
Evaluation
Report
(N.E.R. - 460)

ASTM D3679
www.astm.org



See www.vinylsiding.org for a current list of certified products

